



---

post & rope  
product catalogue





+44 (0)1908 684600

[www.tensator.com](http://www.tensator.com)

Elegance is never out of style.

We've been making classic posts for over 100 years & these designs are as relevant today as they were in the beginning.

Designed to provide stylish & versatile solutions to queue management by discreetly & politely guiding and informing your customers.

Post & rope products are available in a wide range of finishes & materials to complement & enhance public areas in countries all over the world.





page

Post Range	4
Integrated Systems	6
Post Options	8
Base Options	28
Colours & Finishes	30
Connectors	36
Rope Styles & Colours	38
Tubes & Chains	40
Sign Holders & Signs	42



## Post & Rope

## Post Range

All products in this catalogue are available in a wide range of colours & finishes.

There is a large choice of rope, rod or chain & end fixing methods together with sign holder or dispenser accessories.

Custom designs & special colours are available on request.

Selecting the right product for your space is easy with our step-by-step process:

1. Choose one of our 4 post top designs
2. Choose a post diameter: 51mm/2", 38mm/1.5" or 25mm/1"
3. Choose a post texture: Smooth, Reeded\*\* or Twisted\*\*
4. Choose a base style from 5 designs: Universal, Traditional, eXpressions, Sport or Fixed/Removable
5. Choose your colour & finish

\*Not available on all bases. Call for details. \*\* Only available for 51mm / 2" posts.

Classic, Contemporary and Feed Through shown with optional tapped top for sign holder accessories.

Classic

Sphere

Contemporary

Feed Through








Fixed / Removable Fitting



The PostRunner™




Portrait Sign Holder



Wall End Fitting

In order to create the perfect solution for your operational needs we offer single, dual or triple line, rope, rod or chain & low, standard or high posts. Free standing, fixed or removable. Signs, sign holders, leaflet dispensers, infill panels or banners, the choice is yours.



Choose your post & base type then select rope, chain or rod. Once you've chosen a post model, be sure not to exceed the maximum recommended rope length (distance between posts) indicated on each post's specification chart.

When designing a queuing system, it is advisable to buy ropes in modular 1m / 3' & 2m / 6' lengths in order to provide maximum flexibility should you ever need to reconfigure your layout.

Position posts to allow the ropes to hang an optimum of 600mm / 2' at the lowest point from the floor. Too low may present a trip hazard, too tight will mean only slight downward pressure on the rope which will compromise stability of the post.


**Centre to Centre :**

Take the tight measurement from the centre of one post to the centre of the other post. Round up to the nearest 5cm.




**Eye to Eye :**

Take the tight measurement between the centre of each wall plate & then add another 10cm. For example, if you have a tight measurement of 1.5m you should order a rope length of 1.6m.




**Wall to Centre :**

Take the tight measurement from the wall to the centre of post. Round up to the nearest 5cm.



**Wall to Wall :**

Take the tight measurement between the walls & then add another 5cm. For example, if you have a tight measurement of 1.45m you should order a rope length of 1.5m.



**Product shown over:**

310U Dual Line Chrome Classic Post,  
Chrome Universal Base with 1.5m Green Twisted Rope.




Post & Rope



Classic



Product shown :  
310U Single Line, Chrome Classic Post,  
Chrome Universal Base with 1.5m Black Twisted Rope.



Our best selling post, the stylish Classic top design.

- Available in the full range of colours & finishes.
- Choose from 5 base options.
- Optional removable screw insert to accommodate the full range of sign holders & leaflet dispensers.
- 51mm / 2", 38mm / 1.50" & 25mm / 1" post diameter options.
- Forged universal 4 way loop.
- Choice of post profile - Smooth, Reeded or Twisted.
- Single, Dual or Triple line versions.

#### Universal Base

The slim profile Universal Base is cast iron with a pressed steel cover & available in all metals & finishes.

- Rubber floor protectors available
- Super heavyweight option available

height	925mm/36.50"	tube O.D.	51mm/2"
base dia	345mm/13.50"	weight	15kg/33lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	1500mm/5'

Order Code: 310U

Post & Rope

Classic

Traditional Base

This ornate base option complements the Classic Top for traditional environments. A cast iron core is covered by a pressed cover & is available in all metals & finishes.

- Available in the full range of colours & finishes

height	975mm/38.25"	tube O.D.	51mm/2"
base dia	294mm/11.50"	weight	14.5kg/32lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	1500mm/5'

Order Code: 310T

eXpressions Base

The eXpressions Base is cast iron & is available in light or dark grey anti-scuff paint with a choice of inlays to complement any decor.

- Available in the full range of colours & finishes

height	923.5mm/36.25"	tube O.D.	51mm/2"
base dia	345mm/13.50"	weight	13kg/29lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	1500mm/5'

Order Code: 310E

Sport Base

Ultra low profile Sport Base is made of turned steel.

- Available in the full range of colours & finishes

height	900mm/35.50"	tube O.D.	51mm/2"
base dia	345mm/13.50"	weight	13.5kg/29lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	1500mm/5'

Order Code: 310S

Fixed & Removable

For added stability in applications with established traffic patterns.

- Minimum footprint
- Post location is always correct
- Socket mounted requires drilling of floors
- Available in the full range of colours & finishes

height	925mm/36.50"	tube O.D.	51mm/2"
base dia	135mm/5.25"	weight	3kg/7lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	1500mm/5'

Order Code: 310F (fixed)

Order Code: 310R (removable)




Post & Rope

Sphere



Product shown :

312T Single Line Satin Brass UltraCoat Sphere Post,  
Satin Brass UltraCoat Traditional Base with 2m Antique Gold Velour Rope.



Our elegant ball top favoured by prestigious locations the world over.

- Available in the full range of colours & finishes.
- Choose from 5 base options.
- 51mm / 2", 38mm / 1.50" & 25mm / 1" post diameter options
- Forged universal 4 way loop.
- Choice of post profile - Smooth, Reeded or Twisted.
- Single, Dual or Triple line versions.

This range is not compatible with sign holders

### Universal Base

The slim profile Universal Base is cast iron with a pressed steel cover & available in all metals & finishes.

- Rubber floor protectors available
- Super heavyweight option available

height	975 mm/38.50"	tube O.D.	51mm/2"
base dia	345mm/13.50"	weight	15kg/33lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	1500mm/5'

Order Code: 312U



Post & Rope

Sphere

Traditional Base

The ornate base option for traditional environments. A cast iron core is covered by a pressed cover & is available in all metals & finishes.

- Available in the full range of colours & finishes

height	1025mm/40.25"	tube O.D.	51mm/2"
base dia	294mm/11.5"	weight	14.5kg/32lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	1500mm/5'

Order Code: 312T

eXpressions Base

The eXpressions Base is cast iron & is available in light or dark grey anti-scuff paint with a choice of inlays to complement any decor.

- Available in the full range of colours & finishes

height	973.5mm/38.25"	tube O.D.	51mm/2"
base dia	345mm/13.50"	weight	13kg/29lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	1500mm/5'

Order Code: 312E

Sport Base

Ultra low profile Sport Base is made of turned steel.

- Available in the full range of colours & finishes

height	950mm/37.50"	tube O.D.	51mm/2"
base dia	345mm/13.50"	weight	14kg/31lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	1500mm/5'

Order Code: 312S

Fixed & Removable

For added stability in applications with established traffic patterns.

- Minimum footprint
- Post location is always correct
- Socket mounted requires drilling of floors
- Available in the full range of colours & finishes

height	975mm/38.50"	tube O.D.	51mm/2"
base dia	135mm/5.25"	weight	3kg/7lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	1500mm/5'

Order Code: 312F (fixed)

Order Code: 312R (removable)



Post & Rope

Contemporary



The clean lines of the Contemporary post make it an ideal solution for modern spaces.

- Available in the full range of colours & finishes.
- Choose from 5 base options.
- Optional removable screw insert to accommodate the full range of sign holders & leaflet dispensers.
- 51mm / 2", 38mm / 1.50" & 25mm / 1" post diameter options
- Forged universal 4 way loop.
- Choice of post profile - Smooth, Reeded or Twisted.
- Single, Dual or Triple line versions.


#### Universal Base

The slim profile Universal Base is cast iron with a pressed steel cover & available in all metals & finishes.

- Rubber floor protectors available
- Super heavyweight option available

height	875mm/34.50"	tube O.D.	51mm/2"
base dia	345mm/13.50"	weight	14kg/31lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	1500mm/5'

Order Code: 314U



Product shown over:

314U Single Line Chrome Contemporary Post,  
Chrome Universal Base with 1.5m Green Velour Rope.




### Traditional Base

The ornate base option for traditional environments. A cast iron core is covered by a pressed cover & is available in all metals & finishes.

- Available in the full range of colours & finishes

height	925mm/36.50"	tube O.D.	51mm/2"
base dia	294mm/11.50"	weight	14.5kg/32lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	1500mm/5'

Order Code: 314T




### Sport Base

Ultra low profile Sport Base is made of turned steel.

- Available in the full range of colours & finishes

height	850mm/33.50"	tube O.D.	51mm/2"
base dia	345mm/13.50"	weight	13kg/29lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	1500mm/5'

Order Code: 314S




### eXpressions Base

The eXpressions Base is cast iron & is available in light or dark grey anti-scuff paint with a choice of inlays to complement any decor.

- Available in the full range of colours & finishes

height	873.5mm/34.50"	tube O.D.	51mm/2"
base dia	345mm/13.50"	weight	12kg/26.5lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	1500mm/5'

Order Code: 314E



### Fixed & Removable


For added stability in applications with established traffic patterns.

- Minimum footprint
- Post location is always correct
- Socket mounted requires drilling of floors
- Available in the range of colours & finishes

height	875mm/34.50"	tube O.D.	51mm/2"
base dia	135mm/5.25"	weight	3kg/7lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	1500mm/5'

Order Code: 314F (fixed)

Order Code: 314R (removable)






Post & Rope



Feed Through



Product shown :  
311U Single Line Chrome Feed Through Post,  
Chrome Universal Base with 2m Red Twisted Rope.



Ropes seamlessly flow through these posts to create a truly elegant design.

- Available in the full range of colours & finishes.
- Choose from 5 base options.
- Optional removable screw insert to accommodate the full range of sign holders & leaflet dispensers.
- 51mm / 2", 38mm / 1.50" & 25mm / 1" post diameter options.
- Added security for permanent applications.
- Creates a more permanent tamper-proof barrier.
- Includes additional screw to fix rope inside the post

### Universal Base

The slim profile Universal Base is cast iron with a pressed steel cover & available in all metals & finishes.

- Rubber floor protectors available
- Super heavyweight option available

height	910mm/36"	tube O.D.	51mm/2"
base dia	345mm/13.50"	weight	15kg/33lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	N/A

Order Code: 311U



## Post & Rope

## Feed Through

### Traditional Base

The ornate base option for traditional environments. A cast iron core is covered by a pressed cover & is available in all metals & finishes.

- Available in the full range of colours & finishes

height	960mm/37.75"	tube O.D.	51mm/2"
base dia	294mm/11.50"	weight	14.5kg/32lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	N/A

Order Code: 311T

### eXpressions Base

The eXpressions Base is cast iron & is available in light or dark grey anti-scuff paint with a choice of inlays to complement any decor.

- Available in the full range of colours & finishes

height	908.5mm/35.75"	tube O.D.	51mm/2"
base dia	345mm/13.50"	weight	13kg/29lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	N/A

Order Code: 311E

### Sport Base

Ultra low profile Sport Base is made of turned steel.

- Available in the full range of colours & finishes

height	885mm/35"	tube O.D.	51mm/2"
base dia	345mm/13.50"	weight	13kg/29lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	N/A

Order Code: 311S

### Fixed & Removable

For added stability in applications with established traffic patterns.

- Minimum footprint
- Post location is always correct
- Socket mounted requires drilling of floors
- Available in the full range of colours & finishes

height	910mm/36"	tube O.D.	51mm/2"
base dia	135mm/5.25"	weight	3kg/7lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	N/A

Order Code: 311F (fixed)

Order Code: 311R (removable)





### Deco

Evoke the art deco look of the 1920s & 30s with this highly stylised post design.

- Square tube & base
- Forged 4 way square loop
- Removable screw insert to accommodate the full range of sign holders

height	889mm/35"	tube O.D.	51mm/2"
base dia	257mm/10"	weight	15.5kg/34lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	1500mm/5'

Order Code: 309

### Hitching

The classic wild west Hitching Post is recreated in this rugged update of the original.

- 63mm / 2.50" x 63mm / 2.50" oak stained hardwood post
- Sphere top
- Wrought iron hardware
- 2 way rings for rope, chain or tube

height	1040mm/41"	tube O.D.	64mm/2.50"
base dia	345mm/13.50"	weight	12kg/27lbs
max. length ropes	2m/6'6"	max. length horiz. tubes	1500mm/5'

Order Code: 307



### Light Duty

Slimline light duty design with a discreet 25mm / 1" post & feed through ring top.

- Accepts continuous feed through 19mm / 0.75" rope or chain
- Fitted with the universal base for stability in use

height	686mm/27"	tube O.D.	16mm/0.50"
base dia	345mm/13.50"	weight	9kg/20lbs
max. length ropes	2400mm/8'	max. length horiz. tubes	N/A

height	990mm/39"	tube O.D.	16mm/0.50"
base dia	345mm/13.50"	weight	9kg/20lbs
max. length ropes	2400mm/8'	max. length horiz. tubes	N/A

Order Code: 315-27

Order Code: 315-39


### Economy

A low cost solution for temporary pedestrian walkways or barriers; ideal for low traffic or occasional use.


- Available in brushed or polished chrome only
- 2-way cast loop
- Available with 1m braided rope only

height	874mm/34.50"	tube O.D.	51mm/2"
base dia	345mm/13.50"	weight	11kg/25lbs
max. length ropes	1m/3'	max. length horiz. tubes	N/A

Order Code: 301








### Utility

A rugged post & base for indoor or outdoor use.

- Recycled rubber stackable base
- Detachable metal post

height	889mm/35"	tube O.D.	51mm/2"
base dia	485mm/19"	weight	9kg/20lbs
max. length ropes	2100mm/7'	max. length horiz. tubes	1800mm/5'

Order Code: 321



### Keyhole

38mm / 1.50" post with universal base & our exclusive keyhole or snap slot design.

- Specify "Keyhole" for use with ball end ropes
- Specify "Snap Slots" for use with snap end connector ropes or chains

height	889mm/35"	tube O.D.	41mm/1.50"
base dia	345mm/13.50"	weight	11kg/25lbs
max. length ropes	2100mm/7'	max. length horiz. tubes	1800mm/6'

Order Code: 317

### Safety

High visibility barrier in bright yellow, perfect for factories, warehouses, car parks or anywhere a rugged & durable barrier is required.

- High visibility bright yellow post
- Durable Black base
- Cast loop
- Also available with a lightweight fillable base. See Price List

height	864mm/34.50"	tube O.D.	51mm/2"
base dia	345mm/13.50"	weight	11kg/25lbs
max. length ropes	2100mm/7'	max. length horiz. tubes	1800mm/5'

Order Code: 303



### Plastic

All plastic construction for indoor/outdoor applications.


- Use with plastic chain
- Base may be filled with sand or water for added stability
- Available in black & white

height	990mm/39"	tube O.D.	64mm/2.50"
base dia	356mm/14"	weight	1kg/2.50lbs
max. length chain	2400mm/8'	weight with stand	4.5kg/10lbs

Order Code: 300







Universal



Traditional



eXpressions Maple



eXpressions Oak



eXpressions Cherry



eXpressions Satin Chrome




eXpressions Stone




Sport




Basics



Surface Fixed



Standard Removable Socket



Mini Removable Socket

NB. eXpressions inserts are available in any of the painted finishes.





Tensator offers a wide pallet of colours & finishes, ensuring just the right look for any application & décor. From Powder Coated paints that match any interior to the warm & luxurious Solid Brass through to the cool crisp look of Stainless Steel.

Whatever your requirements, Tensator has a finish for you.

The price grouping starts from the standard options right through to the more luxurious finishes.


Powder Coated: Economical, extremely durable & resistant to wear




**33S** Satin Black  
Price group I



**33G** Colorific Black  
Price group I




**89** Black Wrinkle  
Price group I




**80** Charcoal Grey  
Price group I




**73** Hammer Grey  
Price group I



**86** Silver Grey  
Price group I



**87** Metallic Silver Grey  
Price group I



**81** Silver Moon  
Price group I





Powder Coated: Economical, extremely durable & resistant to wear



64 Silver Vein  
Price group 1

91 Silver  
Price group 1

92 Dove Grey  
Price group 1

93 Off-White  
Price group 1




32 Colorific White  
Price group 1

100 Beige  
Price group 1

35 Colorific Yellow  
Price group 1

82 Sun Gold  
Price group 1



65 Gold Vein  
Price group 1

66 Copper Vein  
Price group 1

46 Brown  
Price group 1

90 Wine Wrinkle  
Price group 1

Powder Coated: Economical, extremely durable & resistant to wear



40 Burgundy  
Price group 1

20 Metallic Red  
Price group 1

21 Colorific Red  
Price group 1

95 Lilac  
Price group 1



16 Dark Blue  
Price group 1

94 Purple  
Price group 1

23 Colorific Mid Blue  
Price group 1

17 Metallic Blue  
Price group 1



69 Turquoise  
Price group 1

18 Light Green  
Price group 1

28 Colorific Green  
Price group 1


19 Metallic Green  
Price group 1



Post & Rope

Colours & Finishes

Chrome over Steel: Crisp & cool




**1P** Polished Chrome  
Price group 2

**1S** Satin Chrome  
Price group 2

**3P** Polished Stainless Steel  
Price group 4

**3S** Satin Stainless Steel  
Price group 3

Solid brass: Warm & luxurious



**2P** Polished brass  
Price group 5


**2P-C** Polished brass, UltraCoat  
Price group 6

**2S** Satin brass, UltraCoat  
Price group 6

**6** English Antique brass, UltraCoat  
Price group 6

N.B. Brass Effect finish also available - See Price group 2

Anodised Aluminium: Naturally rustproof




**4B** Satin Aluminium Bronze  
Anodised  
Price group 4

**4G** Satin Aluminium Gold  
Anodised  
Price group 4

**4A** Satin Aluminium Clear  
Anodised  
Price group 4

**4M** Matt Aluminium Clear  
Anodised  
Price group 4

Special Finishes: Decorative finishes for unique environments



**9** Black Chrome  
Price group 6

**8** Statuary Bronze, UltraCoat  
Price group 6

**12** Red Chrome  
Price group 6

**13** Blue Chrome  
Price group 6



**14** Purple Chrome  
Price group 6


**11** Pewter Nickel, UltraCoat  
Price group 6

**10** Antique Copper, UltraCoat  
Price group 6

**15** Brass Effect  
Price group 2

Not all colours/finishes are available for Twisted or Reeded posts, call for details.

NB. Paint colours are available in Gloss, Satin & Matt finishes.



1. 1S Satin Chrome Snap End with Naugahyde Rope
2. 33G Colorific Black Snap End with Velour Rope
3. 64 Silver Vein Snap End with Naugahyde Rope
4. 33S Satin Black Ball Keyhole with Velour Rope
5. IP Chrome Rigid Rod
6. IP Chrome Snap End with Naugahyde Rope
7. 2S Satin Brass Hook End with Velour Rope
8. IP Chrome Drop Link Rod
9. Black Plastic Chain
10. Standard Chain
11. Small Chain

A full range of wall plates & end fixings provide an appropriate method of fitting for all types of installations.



Product shown : Brushed chrome 511 wall plate with brushed chrome snap end (accepts 2 snap ends)



Post loop with curved back & snap end



Ball & keyhole fixing



Wall fixing with snap end



Post & Rope

Rope Styles & Colours



**Naugahyde Rope**

25mm / 1" or 38mm / 1 1/2"

- 33 Black
- 49 Saddle Tan
- 48 Beige
- 51 Taupe
- 26 Azure Blue
- 47 Walnut Brown
- 25 Deep Blue
- 36 Grey
- 68 Sage
- 29 Dark Green
- 21 Red
- 43 Maroon

**Twisted Rope**

25mm / 1" or 38mm / 1 1/2"

- 53 Gold \*\*
- 35 Yellow \*\*
- 32 White \*\*
- 23 Blue \* / \*\*
- 25 Dark Blue \*
- 47T Tobacco \*
- 48 Beige \*
- 40 Burgundy \*
- 33 Black \* / \*\*
- 21 Red \*\*
- 28 Green \*



**Velour Rope**

25mm / 1" or 38mm / 1 1/2"

- 54 Antique Gold
- 42 Rust
- 46 Brown
- 22 Bright Red
- 43 Maroon
- 24 Royal Blue
- 71 Ice Blue
- 44 Purple
- 37 Pearl Grey
- 29 Hunter Green
- 48 Beige
- 33 Black

**Braided Rope**

25mm / 1"

- 21 Red
- 33 Black
- 23 Blue

**Braided Rope**

19mm / 3/4"

- 32 White
- 53 Gold
- 28 Green
- 23 Blue
- 21 Red
- 43 Maroon
- 33 Black



**Poly Hemp Rope**

25mm / 1" or 38mm / 1 1/2"

- 50 Natural
- 50C Cream

**Tweed Rope**

25mm / 1" or 38mm / 1 1/2"

- 46 Brown
- 50 Natural
- 51 Taupe
- 63 Charcoal
- 38 Pewter
- 57 Teal Heather
- 31 Mint Green
- 58 Pink Heather
- 40 Burgundy
- 45 Purple Heather
- 25 Dark Blue
- 27 Wedgewood Blue





Product shown:

310U Satin Chrome Classic Post,  
Satin Chrome Universal Base with 1.5m Drop Link Tube



A range of infills available including vinyl banners, solid laminate board or clear frosted acrylic.



Standard chain with Snap End



Small chain with Snap End



Plastic chain




Drop Link Tube



Rigid Tube



Keyhole Snap Tube



Product shown: 310U Chrome Classic Post, Chrome Universal Base with 1.5m Drop Link Tube



# Post & Rope



# Sign Holders & Dispensers

Product shown:

310U Single Line Chrome Classic Post, Universal Base with 1.5m Blue Twisted Rope & A3 landscape sign holder.



A wide range of sign holders & dispensers are available to complement post finishes.

Tapped signholder top required to accept signholder accessories, request at the point of order.

Custom graphics available to order.

All sizes available in both portrait & landscape orientation.



Standard Sign Frame



Standard A4 Landscape



Standard A4 Portrait



Standard A3 Portrait



Sign holder with literature dispenser



A5 sign holder with DL portrait leaflet dispenser



A4 sign holder with double A4 portrait leaflet dispenser



A3 sign holder with double A4 portrait leaflet dispenser

N.B. Graphics not included

Tensator has a genuine interest in fulfilling customer needs.

We are proud of our heritage; being innovators & manufacturers of high quality physical media for guidance, information & protection. Our growing global client base is a testament to the service & products that we provide.

We strive to take an open-minded approach in all of our processes, from job specification through to design, assembly & customer management. This approach differentiates our products & realises our aspiration of growth.

A handwritten signature in black ink, reading "Jeremy Williman". The signature is fluid and cursive, with a long horizontal stroke extending to the left.

Jeremy Williman  
C.E.O.



## How to order

### Browse & Shop

www.tensator.com  
for simple to follow online  
ordering. Browse  
the extensive collection of  
display products.

### Ordering & Delivery

Standard product orders  
are normally shipped within  
5 - 7 working days  
following payment.

### Payment

Orders are payable by  
cheque, credit account or  
credit card.



A full copy of our Terms & Conditions is available upon request or visit [www.tensator.com](http://www.tensator.com)



### Warranty

We take pride in the design & manufacture of our products & are sure you will be delighted with them.

All Tensator products are covered by a minimum 2 year warranty. Ask about our optional 10 year lifetime warranty.

Any product returned to us that is found to have failed due to a defect in materials or manufacture will be repaired or replaced with the same or equivalent product.

The product specifications shown in this brochure are for information only. Photos taken in a natural setting cannot reproduce the exact colour of the products. Tensator reserves the right to modify the models displayed in this catalogue without prior notice & will not accept responsibility for any typographical error included in it. Reproduction in part or whole of this catalogue is forbidden without the express permission of Tensator. This catalogue does not represent any contractual agreement. Specifications are subject to change without notice. Please note: colours & finishes are reproduced in this brochure within the limitations of the printing process.





Algeria	Hong Kong	Poland
Australia	Israel	Republic of Ireland
Austria	Iceland	Spain
Belgium	India	Sweden
Canada	Italy	Switzerland
China	Japan	S. Africa
Cyprus	Kuwait	Singapore
Denmark	Netherlands	Thailand
France	Nigeria	Turkey
Germany	Norway	UAE
Ghana	Philippines	UK
Greece	Portugal	USA
Hungary		



TENSATOR® LIMITED  
DANBURY COURT, LINFORD WOOD,  
MILTON KEYNES, BUCKS, MK14 6TS, UK  
tel: +44 (0) 1908 684 600  
fax: +44 (0) 1908 684 700

[info@tensator.com](mailto:info@tensator.com)  
[www.tensator.com](http://www.tensator.com)

**LONDON**  
+44 1908 684600

**NEW YORK**  
+1 631 666 0300

**DUBAI**  
+971 4 2997228

**FRANKFURT**  
+49 69 3003 890-0